

## Trylon Trylon Stamped Drawing Process & Tower Loading Questionnaire (CAN)

Please complete the form and submit to MBSI WAV. MBSI WAV will conduct a tower analysis and make a tower model recommendation. When completing this questionnaire, please be as thorough as possible. We will only be able to complete a tower analysis upon receipt of a completed tower questionnaire containing all the required information for an analysis. Trylon's initial Tower Analysis is subject to a \$300 fee, as well as \$300 per any subsequent revisions. When a tower is purchased, a \$300 credit will be provided to offset the initial TA charge.

If you require further contact information, please contact us at sales@mbsiwav.com

Your Name:						Company Name:						
Phone:			Fax:			Emai	Email:					
			I									
Where will the tower be installed?			County:			Site Address:				City:		
		Prov	Province:			Latitude:				Longitude:		
What is th	t?	?			Feet:			Meters:				
Structure	ne)		☐ Self Sup	port (SS)	☐ Guyed		□ Bra	cketed   Other		her		
Tower Op (Select On		☐ Supe	r Titan Knockd	own	☐ Sup	☐ Super Titan Weld			☐ Super Titan Max			
				the tower & foundation drawings? Please note if P.Eng completed full length Questionnaire is required					☐ Yes ☐ No			
Antenna	Information:											
Antenna	Elevation of Antenna	Qty	of	<b>Antenna Information</b> (Manufacturer, Model Nu		n	Antenna	D.,,	ojected	Transmission Lines		
#	# (feet) An		-	/Manufacturar	· Model Nu		Antenna			L		
		Anten		-	r, Model Nu ype)		Antenna Dimensions	Surf	ojected ace Area q. feet)	Qty		
1		Anten		-				Surf	ace Area		ines Size	
2		Anten		-				Surf	ace Area		ines Size	
		Anten		-				Surf	ace Area		ines Size	
2		Anten		-				Surf	ace Area		ines Size	
2		Anten		-				Surf	ace Area		ines Size	

\*PLEASE NOTE: only ONE of the gray shaded areas above is required for analysis.





## **Trylon Stamped Drawing Process & Tower Loading Questionnaire (CAN)**

For additional information, please visit our website <a href="https://www.mbsiwav.com/products/manufacturers/trylon/">https://www.mbsiwav.com/products/manufacturers/trylon/</a>

- **Step 1:** Complete all sections of the Trylon Tower Questionnaire\*. Return completed questionnaire to MBSI WAV. If you require contact information for MBSI WAV, the sales team can be reached at sales@mbsiwav.com.
- Step 2: MBSI WAV conducts a tower analysis and provides customer with a tower model recommendation.
- **Step 3:** To purchase P.E. Stamped Drawings with standard foundation for this tower, customer would place a purchase order with MBSI WAV.
- **Step 4:** If a P.E. Stamped Drawing is required for a custom designed foundation, a Geotechnical Soils Report should be submitted to MBSI WAV along with the PO. Any special requirements or instructions should be included.
- **Step 5:** MBSI WAV must ensure that the same questionnaire and soils report/notes (if applicable) accompanies the purchase order to Trylon.
- **Step 6:** Trylon would then produce the site-specific P.E Stamped Drawing. Lead-time for customer to receive drawings is 7 business days after MBSI WAV places a PO with Trylon. The drawings would be drop-shipped directly to the customer.

Note: Trylon strongly recommends that the customer not purchase a tower until they receive confirmation that Trylon has the approved model.

\*Trylon accepts no liability for incorrect data supplied by the customer. Therefore, it's incumbent on the customer to do proper research. Any costs resulting from incorrect or missing data will be borne by the customer, including paying for an entirely new P.Eng Stamped Drawing packaging if it has to be redone with a different tower model.

DISTRIBUTOR USE ONLY
Standard Drawings (4.77.0101.100, 4.77.0101.200, 4.77.0101.900, 4.77.0101.920)
☐ Customer's completed Tower Questionnaire MUST be submitted at the same time as the PO.
☐ PO MUST reference SuperTitan & Model (i.e. 120' S100, 100' S300, 80' S500etc)
Final Tower Model:
Customized Drawings (4.77.0101.302, 4.77.0101.600, 4.77.0101.960, 4.77.0101.990)
☐ Customer's completed Tower Questionnaire MUST be submitted at the same time as the PO.
☐ PO MUST reference SuperTitan KS, SuperTitan MAX or STG Tower & Model (i.e. 120' S100, 194' M310, 180 STG)
☐ Geotechnical Soils Report MUST be submitted at the same time as the PO.
☐ If necessary: Any 'special' information MUST be clearly summarized and submitted at the same time as the PO.
Final Tower Model: